

Epigentek Group Inc 110 Bi County Blvd. Ste 122 Farmingdale, NY 11735

Phone: 631-755-0888 Fax: 718-484-3956 www.epigentek.com

MSDS Information for: Cat# P-3067

EpiQuik [™] Global Di-Methyl Histone H4-K20 Quantification Kit (Fluorometric)

A Material Safety Data Sheet (MSDS) for the product as a whole is not required, as it is a kit consisting of individual components.

The following components are defined as hazardous (See MSDS page).

F4 (Fluoro Developer)*

The following components are defined as non-hazardous and do not require MSDS. The products do not contain any hazardous components above 1% or any carcinogens above 0.1% as defined in 29 CFR 1910. 1200, the OSHA Hazard Communication Standard.

F1 (10X Wash Buffer)	10 ml	20 ml
F2 (Antibody Buffer)	6 ml	12 ml
F3 (Detection Antibody, 1 mg/ml)*	5 μl	10 <i>μ</i> l
F5 (Fluoro Enhancer)*	12 <i>μ</i> Ι	24μ l
F6 (Fluoro Dilution)	4 ml	8 ml
Standard Control (100 µg/ml)*	10μ l	20μ l
8-Well Sample Strips (with frame)	4	9
8-Well Standard Control Strips	2	3
User Guide	1	1

Material Safety Data Sheet

Section 1. Identification

Product Name EpiQuik™ Global Di-Methyl Histone H4-K20 Quantification Kit (Fluorometric)

Product No. P-3067

Supplier Epigentek Group Inc

110 Bi County Blvd. Ste 122

Farmingdale, NY 11735 Phone: 631-755-0888 Fax: 718-484-3956 www.epigentek.com In Case of Emergency 631-755-0888

Section 2. Composition, Information on Ingredients

Ingredient Name

F4(Fluoro Developer)* Cas# 67-68-5

Section 3. Hazards Identification

Hazards May be harmful by inhalation, ingestion or skin absorption.

Vapor or mist is irritating to the eyes, mucous membranes and upper respiratory tract. Causes

skin irritation. May cause allergic respiratory and skin reactions.

Chronic Effects Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Section 4. First Aid Measures

If ingested, wash out mouth with water. Call a physician. In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes, assure adequate flushing by separating the eyelids with fingers.

Section 5. Fire Fight Measures

.

Extinguishing Media Water spray, carbon dioxide, dry chemical powder, polymer foam

Autoignition Temperature:

Flash Point

Explosion Limits

Not applicable
Not available
Not available

Section 6. Accident Release Measures

General Information

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks

Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves.

Absorb onto vermiculite and hold for waste disposal. Ventilate area and wash

spill site after material pickup is complete.

Section 7. Handling and Storage

Handling Wear appropriate NIOSH/MSHHA approved respirator, chemical resistant

gloves, safety goggles and other protective clothing. Mechanical Exhaust

required.

Storage Store in a cool, dry place. Store in a tightly closed container

Section 8. Exposure Control and Personal Protection

Engineering Controls Use adequate general or local exhaust ventilation to keep airborne

concentrations below the permissible exposure limits

Eye Wear safety glasses and chemical goggles if splashing is possible Skin Wear appropriate protective gloves to prevent skin exposure Clothing Wear appropriate protective clothing to minimize contact with skin Respirators Following the OSHA respirator regulations found in 29CFR 1910.134 or

European Standard EN 149.

Section 9. Physical and Chemical Properties

Physical State Liauid

Appearance Clear faint yellow Odor distinct garlic рΗ Not determined 0.42 mmhg **Vapor Pressure** Viscosity 0.002 pas **Vapor Density** 2.7g/L **Boiling Point** 189°C

Freeze/Melting Point Not applicable

Specific Gravity/Density

Section 10. Stability and Reactivity

Chemical Stability Stable under normal handing procedures.

Incompatibilities Acid chlorides, phosphorous halides, strong acids, strong oxidizing agents

and strong reducing agents

Toxic fumes of: carbon dioxide, nitrogen oxides and sulfur oxides **Decomposition Products**

Hazardous Polymerization Has not been reported.

Section 11. Toxicological Information

RTECS# PV6210000

LD50/LC50 Oral, rat: LD50 = 14500 mg/kgNot listed by OSHA, ACGIH, IARC, NTP Carcinogenicity

Ecological Information Section 12.

No information available

Section 13. Disposal Considerations

Dispose of in a manner consistent with federal, state, and local regulations

Section 14. Transport Information

No information available

Section 15. Regulatory Information

US FEDERAL listed on the TSCA inventory.

Hazard Symbols: Xi

Section 16. Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.