

Epigentek Group Inc

110 Bi County Blvd. Ste 122 Farmingdale, NY 11735

Phone: 631-755-0888 Fax: 718-484-3956 www.epigentek.com

MSDS Information for:

Cat. # P-9007

EpiNext™ RNA Bisulfite-Seq Easy Kit (Illumina)

A Material Safety Data Sheet (MSDS) for the product as a whole is not required, as it is a kit consisting of individual components.

The following components are defined as hazardous (See MSDS page)

Desulphonation Solution Conversion Powder 0.1M DTT*

The following components are defined as non-hazardous and do not require MSDS. The products do not contain any hazardous components above 1% or any carcinogens above 0.1% as defined in 29 CFR 1910. 1200, the OSHA Hazard Communication Standard.

Component	Storage Upon Receipt
Conversion Buffer	RT
NA Binding Solution	RT
F-Spin Column**	RT
F-Collection Tube	RT
5X Reaction Buffer*	-20°C
Reaction Enzyme Mix*	-20°C
Adaptor-A (10 µM)*	-20°C
Adaptor-B (10 µM)*	-20°C
RNA Digestion Buffer	-20°C
RNA Digestion Enzyme*	-20°C
MQ Binding Beads*	4°C
2X HiFi PCR Master Mix*	-20°C
Primer U (10 µM)*	-20°C
Primer I (10 μM)*	-20°C
Elution Buffer*	-20°C
User Guide	RT
Component	Storage
	Upon Receipt
Conversion Buffer	RT
Conversion Powder	2 vials

Material Safety Data Sheet

Section 1. Identification

Product Name EpiNext™ RNA Bisulfite-Seq Easy Kit (Illumina)

Product No. P-9007

Supplier Epigentek Group Inc.

110 Bi County Blvd. Ste 122 Farmingdale, NY 11735

In Case of Emergency 631-755-0888

Section 2. Composition, Information on Ingredients

Ingredient Name
Desulphonation Solution
Cas# 1310-73-2

Section 3. Hazards Identification

Emergency Overview

Causes severe irritation and burns. Harmful if swallowed. Avoid breathing vapor or dust. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash hands thoroughly after handling. Keep container closed.

Potential Health Effects

Inhalation: Severe irritant. Effects from inhalation of mist vary from mild irritation to serious

damage of the upper respiratory tract, depending on severity of exposure. Symptoms may include sneezing, sore throat, or runny nose. Severe pneumonitis may occur.

Ingestion: Corrosive! Swallowing may cause severe burns of mouth, throat, and stomach. Severe

scarring of tissue and death may result. Symptoms may include bleeding, vomiting, diarrhea, and decrease of blood pressure. Damage may appear days after exposure.

Skin Contact: Corrosive! Contact with skin can cause irritation or severe burns and scarring with

greater exposures.

Eye Contact: Corrosive! Causes irritation of eyes, and with greater exposures it can cause burns that

may result in permanent impairment of vision, even blindness.

Chronic

Exposure: Prolonged contact with dilute solutions or dust has a destructive effect upon tissue.

Section 4. First Aid Measures

Inhalation: Quickly move victim to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen supply. Call a physician.

Ingestion: DO NOT INDUCE VOMITING! Give large quantities of water or milk if available.

Never give anything by mouth to an unconscious person. Get medical attention

immediately.

Skin Contact: Immediately flush skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Call a physician, immediately. Wash clothing

before reuse.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and

upper eyelids occasionally. Get medical attention immediately.

Note to Physician:

Perform endoscopy in all cases of suspected sodium hydroxide ingestion. In cases of severe esophageal corrosion, the use of therapeutic doses of steroids should be considered. General supportive measures with continual monitoring of gas exchange, acid-base balance, electrolytes, and fluid intake are also required.

Section 5. Fire Fighting Measures

Fire: Not considered to be a fire hazard. Hot or molten material can react violently with

water. Can react with certain metals, such as aluminum, to generate flammable

hydrogen gas.

Explosion: May cause fire and explosions when in contact with incompatible materials.

Extinguishing

Media: Use any appropriate means suitable for extinguishing surrounding fire. Adding water

to caustic solution generates large amounts of heat.

Special

In the event of a fire, wear full protective clothing and NIOSH-approved self-

contained breathing apparatus.

Section 6. Accidental Release Measures

Ventilate area of leak or spill. Keep unnecessary and unprotected people away from area of spill. Absorb spill with inert material, then place in a chemical waste container. Neutralize with a weak acid.

Section 7. Handling and Storage

Keep in a tightly closed container. Protect from physical damage. Store in a cool, dry, ventilated area away from sources of heat, moisture, and incompatibilities. Wash hands thoroughly after handling.

Section 8. Exposure Controls/Personal Protection

Respiratory

Protection: NIOSH/MSHA-approved respirator

Skin Protection: Wear impervious protective clothing, including boots, gloves, lab coat, apron or

coveralls, as appropriate, to prevent skin contact.

Eye Protection: Use chemical safety goggles. Maintain eye wash fountain and quick-drench facilities in

work area.

Section 9. Physical and Chemical Properties

Appearance: Clear, colorless solution.

Odorless.

Solubility: Completely miscible with water.

pH: 14.0

% Volatiles No information found.Boiling Point: Information not available

Melting Point: Not applicable

Vapor Density: No information found. **Vapor Pressure:** Information not available.

Evaporation

Rate: No information found.

Section 10. Stability and Reactivity

Stability: Stable under ordinary conditions of use and storage.

Hazardous Decomposition: Not established. Will not occur.

Materials to Avoid: Acids, flammable liquids, organic halogens, metals, nitrocompounds.

Conditions to Avoid: Heat, incompatibles.

Section 11. Toxicological Information

Irritation Data: Skin, rabbit: 500 mg/24H severe; eye rabbit: 50 ug/24H severe.

Carcinogen: Not considered to be carcinogenic by ACGIH and IARC

Section 12. Ecological Information

Environmental Fate: No information found. Environmental Toxicity: No information found.

Section 13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Although not a listed RCRA hazardous waste, this material may exhibit one or more characteristics of a hazardous waste and require appropriate analysis to determine specific disposal requirements. Processing, use, or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

Section 14. Transport Information

Information not available.

Section 15. Regulatory Information

OSHA Hazard Communication Evaluation

Meets criteria for hazardous material, as defined by 29 CFR 1910.1200

Section 16. Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with

respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.

Material Safety Data Sheet

Section 1. Identification

Product Name EpiNext™ RNA Bisulfite-Seq Easy Kit (Illumina)

Product No. P-9007

Supplier Epigentek Group Inc.

110 Bi County Blvd. Ste 122 Farmingdale, NY 11735

In Case of Emergency 631-755-0888

Section 2. Composition, Information on Ingredients

Ingredient Name Conversion Powder Cas# 7681-57-4

Section 3. Hazards Identification

Emergency Overview

Harmful if swallowed. Contact with acids liberates toxic gas. Irritating to eyes and respiratory system. Moisture sensitive. Air sensitive.

Potential Health Effects

Eye: Cause eye irritation.

Skin: May cause skin irritation.

Ingestion: Harmful if swallowed. May cause irritation of the digestive tract.

Inhalation: Causes respiratory tract irritation.

Chronic: Not available.

Section 4. First Aid Measures

Eye: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper

and lower lids. Seek medical attention.

Skin: Flush skin with plenty of soap and water for at least 15 minutes while removing

contaminated clothing and shoes.

Ingestion: Get medical aid. Rinse mouth out with water.

Inhalation: Quickly move victim from exposure to fresh air immediately. If not breathing, give

artificial respiration. If breathing is difficult, give oxygen supply.

Section 5. Fire Fighting Measures

General

Information: As in any fire, wear a self-contained breathing apparatus in pressure-

demand, MSHA/NIOSH (approved or equivalent), and full protective

gear. Substance is noncombustible.

Extinguishing

Media: Substance is noncombustible; use agent most appropriate to extinguish surrounding

fire.

Autoignition

Temperature: Not applicable.

Flash Point: Not available

NFPA Rating: Health 1; Flammability 0; instability 0.

Explosion Limits Not available.

Section 6. Accident Release Measures

General

Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks Sweep up then place into a suitable container for disposal. Avoid generating dusty

conditions.

Section 7. Handling and Storage

Handling: Wash hands thoroughly after handing. Use with adequate ventilation. Minimize dust

generation and accumulation. Avoid contact with skin and eyes. Keep container

tightly closed. Avoid breathing dust.

Storage: Store in a cool, dry place. Store in a tightly closed container.

Section 8. Exposure Control and Personal Protection

Engineering

Controls: Use adequate general or local exhaust ventilation to keep airborne concentrations

below the permissible exposure limits.

Eye: Wear safety glasses and chemical goggles if splashing is possible.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to minimize contact with skin.

Respirators: Following the OSHA respirator regulations found in 29CFR 1910.134 or

European Standard EN 149.

Section 9. Physical and Chemical Properties

Physical State: Solid Appearance: White

Odor: Sulfur dioxide odor pH: Acidic in solution Vapor Pressure: Not applicable Viscosity: Not applicable

Vapor Density:Not applicableBoiling Point:Not applicableFreeze/Melting Point:Not applicableDecomposition Temperature:Not applicableSolubility:Soluble

Solubility: Solub Specific Gravity/Density: 1.48

Section 10. Stability and reactivity

Chemical Stability: Stable. However, may decompose if heated. Oxidazes when exposure to air.

Moisture sensitive.

Conditions to Avoid: Incompatible materials, exposure to air, acids, exposure to moist air or water,

temperatures above 125°C.

Incompatibilities with

Other Materials: Strong oxidizing agents, acids, sodium nitrate.

Hazardous

Decomposition Products: Oxides of sulfur

Hazardous

Polymerization: Has not been reported.

Section 11. Toxicological Information

RTECS#: CAS# 7681-57-4: UX8225000

LD50/LC50: CAS# 7681-57-4: Dermal, guinea pig: LD50 > 1 g/kg; Oral, rat: LD50 = 1130-

1900 mg/kg

Carcinogenicity: CAS# 7681-57-4. ACS - ACGIH: A4 - Not Classifiable as a Human Carcinogen

See actual entry in RTECS for complete information.

Section 12. Ecological Information

No information available.

Section 13. Disposal Considerations

Dispose of in a manner consistent with federal, state, and local regulations.

Section 14. Transport Information

No information available

Section 15. Regulatory Information

US FEDERAL: Listed on the TSCA inventory.

International Regulations: European Labeling in Accordance with EC Directives

Hazard Symbols: XN

Section 16. Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way

shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.

Material Safety Data Sheet

Section 1. Identification

Product Name: EpiNext™ RNA Bisulfite-Seq Easy Kit (Illumina)

Product No. P-9007

Supplier Epigentek Group Inc.

> 110 Bi County Blvd. Ste. 122 Farmingdale, NY 11735

In Case of Emergency 631-755-0888

Section 2. Composition, Information on Ingredients

Ingredient Name

DTT

Ingestion:

Cas# 3483-12-3

Hazards Identification Section 3.

Inhalation: Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of

breath. Can cause nausea, headache and vomiting. Exposure may result in blood in

urine, difficulty breathing, irregular heartbeat, anemia, weakness, drunkenness, bluish skin color, lung congestion, kidney damage, paralysis, convulsions

unconsciousness and coma. Thiols may cause central nervous system depression Exposure can cause nausea, headache, vomiting, diarrhea, weakness, drunkenness,

restlessness, bluish skin color, paralysis and coma.

Skin Contact: Causes irritation to skin. Symptoms include redness, itching, and pain. May be

absorbed through the skin. May cause dermatitis.

Eye Contact: Causes irritation, redness, and pain.

Chronic Exposure: No information found.

Section 4. First Aid Measures

Inhalation Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get medical attention.

Ingestion Give large amounts of water to drink. Never give anything by mouth to an

unconscious person. Get medical attention.

Skin Contact Immediately flush skin with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if symptoms

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, lifting

upper and lower eyelids occasionally. Get medical attention if irritation

persists.

Section 5. Fire Fight Measures

Fire Flash point: > 109°C. As with most organic solids, fire is possible at

elevated temperatures or by contact with an ignition source.

Explosion Fine dust dispersed in air in sufficient concentrations, and in the

presence of an ignition source is a potential dust explosion hazard.

Extinguishing MediaWater spray, dry chemical, alcohol foam, or carbon dioxide. **Special Information**In the event of a fire, wear full protective clothing and NIOSH-

approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

Section 6. Accident Release Measures

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Pick up and place in a suitable container for reclamation or disposal, using a method that does not generate dust.

Section 7. Handling and Storage

Product must be refrigerated at $2-8^{\circ}$ C ($36-46^{\circ}$ F). Keep in a tightly closed container. Protect against physical damage. Handle and store under nitrogen. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

Section 8. Exposure Control, Personal Protection

Airborne Exposure Limits None established.

Ventilation System A system of local and/or general exhaust is recommended to keep

employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general

work area. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent

edition, for details.

Personal Respirators For conditions of use where exposure to the dust or mist is apparent,

a half-face dust/mist respirator may be worn. For emergencies or instances where the exposure levels are not known, use a full-face positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection Wear protective gloves and clean body-covering clothing.

Eye Protection Use chemical safety goggles. Maintain eye wash fountain and guick-

drench facilities in work area.

Section 9. Physical and Chemical Properties

Appearance White crystals.
Odor Thiol odor.
Solubility Soluble in water.

Specific Gravity 1.0

pH 4.3 (5% solution)

% Volatiles by Volume 0

Boiling Point 125 – 130°C (257 – 266°F) **Melting Point** 42 – 43°C (108 – 109°F)

Vapor Density (Air=1) 5.3

Vapor Pressure (mm Hg)
Evaporation Rate (BuAc=1)
No information found.
No information found.

Section 10. Stability and Reactivity

StabilityStable under ordinary conditions of use and storage. Hygroscopic.Decomposition ProductsBurning may produce carbon monoxide, carbon dioxide, sulfur

oxides.

Hazardous Polymerization Will not occur.
Incompatibilities Strong oxidizers.

Conditions to Avoid Heat, flames, ignition sources and incompatibles.

Section 11. Toxicological Information

LD50 Oral rat LD50: 400 mg/kg.
Carcinogenicity No information found.

Section 12. Ecological Information

No information available.

Section 13. Disposal Considerations

Dispose of in a manner consistent with federal, state, and local regulations.

Section 14. Transport Information

No information available

Section 15. Regulatory Information

US FEDERAL: Listed on the TSCA inventory.

Section 16. Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.